

Message

---

**From:** Corbett, Kate (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=KATE.CORBETT]  
**Sent:** 3/23/2012 3:51:14 PM  
**To:** Meade, Christopher (SUF) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=Christopher.Meade]  
**Subject:** RE: West Roxbury - [REDACTED] - Jury Trial 3-27-12

yes

Kate Corbett  
Chemist II  
Drug Analysis Lab  
Dept of Public Health  
305 South St.  
Jamaica Plain, MA 02130  
phone (617) 983-6632  
fax (617) 983-6625

---

**From:** Meade, Christopher (SUF)  
**Sent:** Wednesday, March 21, 2012 3:16 PM  
**To:** Corbett, Kate (DPH)  
**Subject:** RE: West Roxbury - [REDACTED] Jury Trial 3-27-12

Would you be able to do that to be ready for Trial on March 27? I am going to try to resolve the case, but it is a good amount of drugs that were recovered on a search warrant.

Thanks for your help!

**From:** Corbett, Kate (DPH)  
**Sent:** Wednesday, March 21, 2012 1:12 PM  
**To:** Meade, Christopher (SUF)  
**Subject:** RE: West Roxbury - [REDACTED] - Jury Trial 3-27-12

Hi Chris,

Yes I would be able to review the GC/MS and I would also have a supervisor look at it as well and sign off on it.

Thanks,

Kate Corbett  
Chemist II  
Drug Analysis Lab  
Dept of Public Health  
305 South St.  
Jamaica Plain, MA 02130  
phone (617) 983-6632  
fax (617) 983-6625

**From:** Meade, Christopher (SUF)

**Sent:** Wednesday, March 21, 2012 12:23 PM

**To:** Corbett, Kate (DPH)

**Subject:** West Roxbury - [REDACTED] Jury Trial 3-27-12

Kate:

Greetings,

I am emailing you about a case that is scheduled for trial on Tuesday, March 27, 2012. I had previously summonsed Annie Dookhan. I just learned that Annie is not available for Tuesday. I will send you a summons for Tuesday. You were the first chemist of [REDACTED] was wondering if you could look at Annie's charts to testify on Tuesday if we can't resolve the case.

You can reach me at 617-396-5605. Can you please give me a call back.

Thanks for your help.

Sincerely,

Christopher Meade